





## POLY-LABTRAY

#### BRINGS SPILL PROTECTION TO THE LABORATORY BENCH.

Poly-Labtray<sup>™</sup> reduces spills and overflows of liquid and free-flowing powder chemicals during transfer of material in the laboratory. The large surface holds four (4) 1-gallon bottles (up to 40 lb. static load weight) and features a 2.5 gallon sump capacity. This also makes it perfect for mixing small containers at production sites. There are no metal parts to rust or corrode.

• Low-profile unit is only 3" high • Small 25" x 21.5" footprint

### **POLY-LABTRAY™**

Part #	Description	Dimensions L x W x H in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	Load Cap. lb. (kg)
5248-YE	Lab tray (Grate)	25.5 x 22 x 3.25 (65 x 56 x 8) 20.75 x 17.25 (53 x 44)	4 (1.8)	2.5 (9.4)	40 (18)

Regulations: EPA. SPCC and NPDES

Controls spills as they happen.
Removable grate for easy cleaning.

## 0-VAC<sup>™</sup> 100 SHOWN WITH OPTIONAL DRUM AND SCOOTER

Reliable and easy-to-use, Q-VAC<sup>TM</sup> 100 pumps liquid directly into a standard drum for convenient storage or recycling. A liquid overflow shutoff valve ensures vacuum automatically turns off when the drum is full. QVAC 100™ Plus includes Spill Scooter.



O-VAC 100



- Works on shop air.
- Fits on a standard 55-gallon closed top drum
- · Requires no filters
- No moving parts to break or replace

Q-VAC 100TM Plus (drum optional, but not included)

#### Q-VAC 100™

Part #	Description	Air Flow at 87 psi	Compressor PSI (Minimum/Optimum)	Sound Level	Optimum Compressor
QVAC	Standard	35 cfpm	30 / 87 psi	80 dB (A)	10 HP
<b>QVAC PLUS</b>	Plus (w/Scooter)	35 cfpm	30 / 87 psi	80 dB (A)	10 HP
8089-BK	Steel Closed Head Drur	n			



# THE INCIDENTAL SPILL SOLUTION.

Need temporary protection against incidental barrel spills? Drums-Up<sup>TM</sup> and Drums-Up Jr.<sup>TM</sup> let you control nuisance spills from drums sized up to 55 gallons. A 20-gallon spill capacity catches liquid before it reaches your floor and reduces the risk of slip-and-fall injuries. Includes a newly enhanced convenient pour spout and built-in bung fitting holder.

Perfect for use as a drum pumping station!



Built-in bung fitting holder



Convenient pour spout

## DRUMS-UP

Inexpensive containment for 16-gallon drums, 5-gallon pails and various jugs and bottles.



21101110 01							
Part #	Description	Top Dia. in. (cm)	Bottom Dia. in. (cm)	Ht. in. (cm)	Weight lb. (kg)	Spill Cap. gal. (L)	
8091-YE	Drums-Up	Int. 30.5 (77) Ext. 37.5 (95)	Int. 26.25 (67) Ext. 28.5 (72)	7.5 (19)	6.1 (2.8)	20 (75.7)	
8200 - YE	Drums-Up Jr.	Int. 18.5 (47) Ext. 22.75 (58)	Int. 15.5 (39) Ext. 17.25 (44)	7.5 (19)	2 (.9)	7.5 (28.3)	



1-800-936-7229 33 Regulations: EPA, SPCC and NPDES