

and stomach.

SAFETY DATA SHEET — 16 Sections

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION [WHMIS Classification] Perlite, Expanded, ENSORB Super Absorbent Not Applicable Product Use Industrial Absorbent Manufactured For: ENPAC, LLC Street Address 34355 Melinz Parkway City, State, Postal Code Eastlake, Ohio 44095 Emergency Telephone 440-975-0070 Date SDS Prepared 1/1/2018 SECTION 2 — HAZARDS IDENTIFICATION Route of Entry Skin Contact ☐ Skin Absorption ☐ Eye Contact ☐ Inhalation ☐ Ingestion **Emergency Overview** This product contains crystalline silica (less than .01%). OSHA considers perlite to be a nuisance dust. Inhalation of high amounts over long periods of nuisance dust may overload lung clearance mechanism and make the lungs more vulnerable to respiratory disease. WHMIS Symbols Not Regulated Potential Health Effects Inhalation: Pre-existing upper respiratory and lung disease may be aggravated. Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic inhalation of dust should be avoided. Eye: May cause irritation (tear formation and redness) if dust gets in eyes. Skin: Not absorbed by the skin. But may cause dryness if prolonged exposure. Ingestion: Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	LC 50 of Ingredient (specify species)	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Perlite	100	93763-70-3	Not Available	Not Available	10	15
Silica/ Quartz	< 0.1	14808-60-7	Not Available	Not Available	Not Available	.05



SECTION 4 — FIRST AID MEASURES

Skin Contact
Use moisture renewing lotions if dryness occurs.
Eye Contact
Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.
Inhalation
Remove to fresh air. Blow nose to evacuate dust.
Ingestion
Drink generous amounts of water to reduce bulk and drying effects.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable	If yes, under which conditions?	
□ _{Yes} ⊠ _{No}		
Means of Extinction		
N/A		
Flashpoint (° C) and Method	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
Mana	Mana	Name
None	None	None
Auto ignition Temperature (°C)	Explosion Data — Sensitivity to Impact	Explosion Data — Sensitivity to Static Discharge
	, ,	
Not Combustible	N/A	N/A
Hazardous Combustion Products		
N/A		
NFPA		
NI/A		
N/A		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautions: If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles.

Containment and Cleanup: Vacuum clean dust with equipment fitted with HEPA filter. Use dust suppressant such as water if sweeping is necessary.

Environment: Not considered as hazardous waste by RCRA (40 CFR Part 261). Place waste and spillage in closed containers. Dispose of in approved landfill.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment
Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags.
Storage Requirements
Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid. Observe all label
precautions and warnings.



SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

	X ACGIH TLV	⊠OSHA PEL	Other (spec	cify)		
Specific Engineering Controls (such as ventilation, enclosed process)						
Adequate ventilation and appropriate local exhaust where needed to keep dust level below PEL.						
Personal Protective Equipment	Gloves	Respirator	Eye	Footwear	Clothing	Other
If checked, please specify type						
Eye: Goggles to protect	ct from dust.					
Skin: No special equipment is required.						
Respiratory: Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) time the Permissible Exposure Limit (PEL) use a quarter or half mask respirator. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two-hundred (200) times the PEL use a power air-purify (positive pressure) respirator with replaceable N95 filter. If dust concentration is greater than two-hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with						

full face piece, hood or helmet.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odor and Appearance	Odor Threshold (ppm)
Solid	White Granules or Powder. No distinct	N/A
	odor.	
Specific Gravity	Vapor Density (air = 1)	Vapor Pressure (mmHg)
2.35	N/A	N/A
Evaporation Rate	Boiling Point (° C)	Freezing Point (° C)
N/A	N/A	N/A
рН	Coefficient of Water/Oil Distribution	[Solubility in Water]
6-10	N/A	Slightly Soluble



SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability			If no, under which conditions?				
	⊠ _{Yes}	\square No					
Incompatibility with Ot			If yes, which ones?				
	Reacts with Hydrofluoric Acid to form Silicon Tetrafluoride gas			Acid to form Silicon Tetrafluoride gas			
Reactivity and under what conditions?							
_	No dangerous reactions known.						
Hazardous Decomposition Products							
None							
SECTION 11 — TOXICOLOGICAL INFORMATION Effects of Acute Exposure							
Potential irri	tant for skin cont	act, eve cor	tact or inhalation.				
		, - ,					
Effects of chronic e	Effects of chronic exposure						
Perlite is a naturally occurring volcanic glass consisting of fused sodium-potassium-aluminum silicate. Tests conducted on Perlite have not identified crystalline silica as being present above the detection limit (0.05%). Although there are not published reports of adverse health effects from exposure to perlite dust, dust levels should be maintained below the OSHA Permissible Exposure Limit for perlite and respirators used when airborne dust is present.							
Irritancy of Product							
Potential irritant for skin contact, eye contact or inhalation.							
Skin sensitization				spiratory sensitization			
Possible through skin contact.							
Carcinogenicity-IARC			Ca	rcinogenicity - ACGIH			
N/A N/A			'A				
Reproductive toxicity Teratogenicity				atogenicity			
N/A N/A			'A				
Embrotoxicity Mutagenicity							
N/A	N/A N/A						
Name of synergistic products/effects							
N/A							

SECTION 12 — ECOLOGICAL INFORMATION	
Aquatic Toxicity	
Generally considered inert. Perlite has no negative ecologica	l effect and may be used as a soil container.
OFOTION 40 PIODOGAL CONCIDED ATIONS	`
SECTION 13 — DISPOSAL CONSIDERATIONS Waste Disposal	
<u> </u>	
Not considered hazardous waste by the RCRA (40 CFR Part	
Dispose in accordance with Federal, State and Local regulati	ions.
SECTION 14 — TRANSPORT INFORMATION	
Special Shipping Information	
No known shipping regulations.	
	PIN
TDG	N/A
N/A	N/A
IMO	ICAO
N/A	N/A
SECTION 15 — REGULATORY INFORMATION WHMIS Classification	OSHA
Not regulated SERA	Perlite is not considered as a toxic or hazardous subject. TSCA
Not Listed	Not Listed.
	ccordance with the hazard criteria of the SDS contains all of the information required by CPR.
SECTION 16 — OTHER INFORMATION	
with any other materials or in any process. All statements, infreliable, but are presented without any guarantee, representations and/or warranties of mer disclaimed. Users should make their own investigations as to	ation, warranty or responsibility of any kind, expressed or chantability of fitness for a particular purpose are specifically the suitability of the information or product for their particular inducement or recommendation to violate any laws or practice